



Caustic Soda Lye

Physical Properties	
Appearance	Colourless viscous liquid.
Boiling point	142- 148°C
Fusion Point	12- 15 °C
Specific Gravity	1.52 at 20°C
Physical state	Lye
Solubility in water	Complete
pH	14
Odour	Odour less
Others	Soluble in alcohol, methanol, and glycerol

Chemical Identity	
Formula: NaOH	CAS No. 1310-73-2
Molecular Weight: 40	Codes/Label-corrosive, Class-8
UN No. 1823/1824	2R

Specifications	
NaOH	47.0 % (min)
Na ₂ CO ₃	0.2 % (max)
NaCl	200 ppm (max)
Iron as Fe	5 PPM (max)
Sulphate as Na ₂ SO ₄	0.1% (max)
Silicate as SiO ₂	3 ppm (max)
Copper (Cu)	2.0 PPM (max)
Manganese (Mn)	1.0 PPM (max)
Chlorate & per chlorate as NaClO ₃	10 PPM (max)
Water Insoluble matter	0.05 PPM (max)

Toxicity	
Permissible Exposure Limit	2 (Ceiling) Mg/m ³
TLV (ACGIH)	2 (Ceiling) Mg/m ³

Applications

Caustic Soda is used in:

- Pulp and paper (in digestion process for the extraction of Chlorlignin of wood and pulp.)

- Aluminum (for the extraction of Alumina from Bauxite.)
- Soap (in soapanification reaction.)
- Detergent (in the process of neutralizing LAB.)
- Petroleum Refining (for naturalizing H₂S in light distillates.)
- Rayon (in viscous section for the extraction of cellulose from the pulp.)
- Power Plants (in anionic resin regeneration in D.M. Plant.)
- Pharmaceuticals (in Paracetamol, Analgin, Ranitidine, Ibuprofen, Ciproflaxacin etc.)
- Textiles (In finishing operations at mercerizing & bleaching Stages).

Packaging

Caustic Soda Lye	M.S.R.L./M.S. Road tankers & MS Rail Wagons.
------------------	----------------------------------------------

Safety / Precaution

Use face shield, PVC Glove, PVC aprons, Gumboots, Safety goggles, provide good ventilation, use dust mask, avoid pipetting by mouth, don't eat or drink.

First Aid Measures

Flush with a safety shower and remove contaminated clothes while taking shower, flush with water for a minimum of 15 minutes. On swallowing, drink large quantities of water & report to first aid center.

Other Details

ITC Classification: 28151101

UN No. 1823

IMO Classification: 8 – Corrosive Substance